

COURTESY COPY OF THE CLAIMS


This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1-48(Cancelled).

49(Previously Presented). The compound according to claim 50 which is selected from the group consisting of 6-(3-Methoxyphenyl)spiro[4H-3,1-benzoxazine-4,1-cyclobutan]-2(1H)-one; 8-Bromo-6-(3-chloro-4-fluorophenyl)-4,4-dimethyl-1,4-dihydro-2H-3,1-benzoxazin-2-one; 3-(8-Bromo-4,4-dimethyl-2-oxo-1,4-dihydro-2H-3,1-benzoxazin-6-yl)-5-fluorobenzonitrile; 3-(8-Bromo-4,4-dimethyl-2-oxo-1,4-dihydro-2H-3,1-benzoxazin-6-yl)-5-fluorobenzonitrile; 5-(8-Bromo-4,4-dimethyl-2-oxo-1,4-dihydro-2H-3,1-benzoxazin-6-yl)-2-fluorobenzonitrile; 6-(3-Bromophenyl)-1,4,4-trimethyl-1,4-dihydro-2H-3,1-benzoxazin-2-one; 6-(3-Fluorophenyl)-4-methyl-1,4-dihydro-2H-3,1-benzoxazin-2-one; 3-(4,4-Dimethyl-8-methoxy-2-oxo-1,4-dihydro-2H-3,1-benzoxazin-6-yl)-5-fluorobenzonitrile; 6-(2,3-Difluoro-phenyl)-4,4-dimethyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one; 3-(1-Ethyl-4,4-dimethyl-2-oxo-1,4-dihydro-2H-benzo[d][1,3]oxazin-6-yl)-5-fluoro-benzonitrile; 3-(4,4-Dimethyl-2-oxo-1,4-dihydro-2H-benzo[d][1,3]-oxazin-6-yl)-5-fluoro-phenylacetoneitrile; 3-(4,4-Dimethyl-2-oxo-1,4-dihydro-2H-benzo[d][1,3]-oxazin-6-yl)-4-fluoro-phenylacetoneitrile; 4-(4,4-Dimethyl-2-oxo-1,4-dihydro-2H-benzo[d][1,3]oxazin-6-yl)-2-fluorophenylacetoneitrile; 2-(4,4-Dimethyl-2-oxo-1,4-dihydro-2H-benzo[d][1,3]-oxazin-6-yl)phenylacetoneitrile; 6-(3-Fluoro-4-methoxy-phenyl)-4,4-dimethyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one; 3-(4,4-Dimethyl-2-oxo-1,4-dihydro-2H-benzo[d][1,3]-oxazin-6-yl)phenylacetoneitrile; and 4-(4,4-Dimethyl-2-oxo-1,4-dihydro-2H-benzo[d][1,3]oxazin-6-yl)-furan-2-carbaldehyde; or a pharmaceutically acceptable salt thereof.

50(Previously Presented). A compound of formula I:



I

wherein:

R^1 and R^2 are independently H or CH_3 ;


or R^1 and R^2 are fused to form a carbon-based 3 to 8 membered saturated spirocyclic ring;

R^3 is H or C_1 to C_6 alkyl;

R^4 is H, halogen, or methoxy;

R^5 is selected from the group consisting of (i) and (ii):

(i) a substituted benzene ring having the substituents X, Y and Z as shown below:



wherein:

X is selected from the group consisting of H, halogen, C_1 to C_4 alkoxy, and CN;

Y and Z are independent substituents selected from the group consisting of H, halogen, CN, and C_1 to C_4 alkoxy;

wherein X, Y, and Z are not all H; and

(ii) a five membered ring having in its backbone 1 O heteroatom and containing one or two independent substituents selected from the group consisting of H, $C(O)H$;

or pharmaceutically acceptable salt thereof.

51(Cancelled).